

Nº CATALOGO	DESCRIPCION	ENVASE	TEMP	PRECIO UNIT.
01-015-5A	Basal Medium Eagle (BME) 10X Conc., Earle's Salts Base, without L-Glutamine, without Sodium Bicarbonate	500ml	4°C	<b>36,80</b>
01-025-1A	Minimum Essential Medium-Eagle (MEM-E), Earle's Salts Base, without L-Glutamine	500ml	4°C	<b>31,00</b>
01-025-1B	Minimum Essential Medium-Eagle (MEM-E), Earle's Salts Base, without L-Glutamine	100ml	4°C	<b>7,42</b>
01-025-5A	Minimum Essential Medium Eagle (MEM-E) 10X Conc., Earle's Salts Base, without L-Glutamine, without Sodium Bicarbonate	500ml	4°C	<b>35,65</b>
01-035-1A	Minimum Essential Medium-Eagle (MEM-H), Hanks' Salts Base, without L-Glutamine	500ml	4°C	<b>29,90</b>
01-040-1A	Minimum Essential Medium-Eagle (MEM-NEAA), Earle's Salts Base, with Non-Essential Amino Acids, without L-Glutamine	500ml	4°C	<b>31,00</b>
01-042-1A	Minimum Essential Medium-Alpha (MEM-A), with 1g/l D-Glucose (Low Glucose), with L-Glutamine, without Ribonucleosides and Deoxyribonucleosides	500ml	4°C	<b>31,00</b>

5% DE DESCUENTO EN TODOS LOS PRODUCTOS DEL CATÁLOGO BI

01-043-1A	Minimum Essential Medium Alpha (MEM-A), with 4.5 g/l D-Glucose (High Glucose), with L-Glutamine, without Ribonucleosides and Deoxyribonucleosides	500ml	4°C	<b>32,20</b>
01-045-1A	Minimum Essential Medium (MEM) for suspension cultures, without L-Glutamine	500ml	4°C	<b>32,20</b>
01-050-1A	Dulbecco's Modified Eagle Medium (DMEM), with 1g/l D-Glucose (Low Glucose), with Sodium Pyruvate 110mg/l, without L-Glutamine	500ml	4°C	<b>9,42</b>
01-052-1A	Dulbecco's Modified Eagle Medium (DMEM), with 4.5g/l D-Glucose (High Glucose), without Sodium Pyruvate, with L-Glutamine	500ml	4°C	<b>13,80</b>
01-053-1A	Dulbecco's Modified Eagle Medium (DMEM), with 4.5g/l D-Glucose (High Glucose), without Sodium Pyruvate, without Phenol Red, without L-Glutamine	500ml	4°C	<b>29,90</b>
01-055-1A	Dulbecco's Modified Eagle Medium (DMEM), with 4.5g/l D-Glucose (High Glucose), without Sodium Pyruvate, without L-Glutamine	500ml	4°C	<b>9,00</b>

01-055-4A	Dulbecco Modified Eagle Medium (DMEM) 5X Conc., 4.5g/l D-Glucose (High Glucose), without L-Glutamine, without Sodium Bicarbonate	500ml	AMB	<b>34,50</b>
01-055-4B	Dulbecco Modified Eagle Medium (DMEM) 5X Conc., 4.5g/l D-Glucose (High Glucose), without L-Glutamine, without Sodium Bicarbonate	100ml	AMB	<b>12,68</b>
01-055-9A	Dulbecco Modified Eagle Medium (DMEM), 2X Conc., 4.5g/l D-Glucose (High Glucose) ,without L-Glutamine, with Sodium Bicarbonate	500ml	4°C	<b>42,00</b>
01-056-1A	Dulbecco's Modified Eagle Medium (DMEM), with 4.5g/l Glucose (High Glucose), without Sodium Pyruvate, with stable Glutamine	500ml	4°C	<b>15,00</b>
01-057-1A	Dulbecco's Modified Eagle Medium (DMEM), without D-Glucose, without Sodium Pyruvate, without L-Glutamine	500ml	4°C	<b>29,60</b>
01-058-1A	Iscove's Modified Dulbecco's Medium (IMDM), with L-Glutamine, without Alpha-Thioglycerol, without Beta-Mercaptoethanol	500ml	4°C	<b>32,00</b>
01-059-1A	MCDB-153 (Modified)	500ml	4°C	<b>59,82</b>

01-075-1A	McCoy's 5A Medium (Modified), without Serum, with L-Glutamine	500ml	4°C	<b>31,00</b>
01-080-1A	Medium M-199 (M199E), Earle's Salts Base, with L-Glutamine	500ml	4°C	<b>34,00</b>
01-080-1B	Medium M-199 (M199E), Earle's Salts Base, with L-Glutamine	100ml	4°C	<b>9,54</b>
01-085-1A	Medium M-199 (M199H), Hanks' Salts Base, with L-Glutamine	500ml	4°C	<b>29,90</b>
01-090-1A	Nutrient Mixture F-10 (Ham's), with L-Glutamine	500ml	4°C	<b>27,56</b>
01-090-1B	Nutrient Mixture F-10 (Ham's), with L-Glutamine	100ml	4°C	<b>9,54</b>
01-090-5A	Nutrient Mixture F-10 (Ham's) 10X Conc., with L-Glutamine, without Sodium Bicarbonate	500ml	4°C	<b>34,50</b>
01-095-1A	Nutrient Mixture F-12 (Ham's), with L-Glutamine	500ml	4°C	<b>14,84</b>
01-100-1A	RPMI Medium 1640, with L-Glutamine	500ml	4°C	<b>9,80</b>
01-100-1B	RPMI Medium 1640, with L-Glutamine	100ml	4°C	<b>6,24</b>
01-101-1A	RPMI Medium 1640, without D-Glucose, without L-Glutamine	500ml	4°C	<b>28,18</b>
01-103-1A	RPMI Medium 1640, without Phenol Red, without L-Glutamine	500ml	4°C	<b>17,10</b>
01-104-1A	RPMI Medium 1640, without L-Glutamine	500ml	4°C	<b>8,92</b>

01-104-1B	RPMI Medium 1640, without L-Glutamine	100ml	4°C	<b>6,24</b>
01-106-1A	RPMI Medium 1640, with 25mM Hepes, with L-Glutamine	500ml	4°C	<b>13,80</b>
01-106-1B	RPMI Medium 1640, with 25mM Hepes, with L-Glutamine	100ml	4°C	<b>8,42</b>
01-110-1A	Waymouth's MB 752/1 Medium	500ml	4°C	<b>36,80</b>
01-115-1A	Leibovitz L-15 Medium, with L-Glutamine	500ml	4°C	<b>34,50</b>
01-150-1A	Schneider's Drosophila Medium, with L-Glutamine	500ml	4°C	<b>39,30</b>
01-155-1A	Grace's Insect Medium	500ML	4°C	<b>34,00</b>
01-170-1A	Dulbecco's Modified Eagle Medium (DMEM): Nutrient Mixture F-12 (Ham's) (1:1) without L-Glutamine, with Sodium Bicarbonate, with Hepes 15mM, with Sodium Pyruvate	500ml	4°C	<b>29,90</b>
01-190-1A	BIOAMF-1 Basal Medium	450ml	4°C	<b>46,00</b>
01-192-1E	BIOAMF-1 Supplement	50ml	-20°C	<b>121,00</b>
01-190-1B	BIOAMF-1 Basal Medium	90ml	4°C	<b>14,00</b>
01-192-1D	BIOAMF-1 Supplement	10ml	-20°C	<b>34,20</b>
01-194-1A	BIOAMF-2 Complete Medium	500ml	-20°C	<b>178,00</b>
01-194-1B	BIOAMF-2 Complete Medium	100ml	-20°C	<b>46,00</b>
01-196-1A	BIOAMF-3 Complete Medium	500ml	-20°C	<b>196,00</b>
01-196-1B	BIOAMF-3 Complete Medium	100ml	-20°C	<b>49,50</b>

01-198-1A	Peripheral Blood Karyotyping Medium without Phytohemagglutinin	500ml	-20°C	<b>240,00</b>
01-198-1B	Peripheral Blood Karyotyping Medium without Phytohemagglutinin	100ml	-20°C	<b>62,00</b>
01-199-1A	Bone Marrow Karyotyping Medium, without conditioned medium	500ml	-20°C	<b>268,00</b>
01-199-1B	Bone Marrow Karyotyping Medium, without conditioned medium	100ml	-20°C	<b>56,00</b>
01-200-1A	Hematopoietic Cell Karyotyping Medium, with conditioned medium	500ml	-20°C	<b>322,00</b>
01-200-1B	Hematopoietic Cell Karyotyping Medium, with conditioned medium	100ml	-20°C	<b>74,00</b>
01-201-1A	Peripheral Blood Karyotyping Medium with Phytohemagglutinin	500ml	-20°C	<b>159,00</b>
01-201-1B	Peripheral Blood Karyotyping Medium with Phytohemagglutinin	100ml	-20°C	<b>38,00</b>
01-326-1B	MEM Vitamins Solution 100X	100ml	-20°C	<b>13,50</b>
01-340-1B	MEM Non-Essential Amino Acids Solution, 100X Conc.	100ml	4°C	<b>13,50</b>
01-343-1D	Nucl & Ribonucl (for MEM-Alpha)	10ml	-20°C	<b>78,00</b>

01-818-1H	Human Recombinant Insulin Solution, 100 units/ml	5ml	4°C	<b>240,00</b>
01-852-1A	DEPC-Treated Water	500ml	AMB	<b>79,00</b>
01-866-1A	Ultra Pure Water (DNase and RNase-free)	500ml	AMB	<b>58,00</b>
01-866-1B	Ultra Pure Water (DNase and RNase-free)	100ml	AMB	<b>15,00</b>
01-867-1B	AQUAGUARD-1 Solution, for disinfecting water baths of CO2 incubators, use at 10ml per liter	100ml	-20°C	<b>26,60</b>
01-870-1A	TAE Buffer 50X Conc.	500ml	AMB	<b>66,00</b>
01-871-1A	TBE Buffer 5X Conc.	500ml	AMB	<b>36,80</b>
01-888-1B	RBC Lysis Solution	100ml	4°C	<b>14,00</b>
01-890-1B	SDS Solution (10%)	100ml	4°C	<b>32,00</b>
01-891-1A	RNA Save	500ml	4°C	<b>194,00</b>
01-891-1B	RNA Save	100ml	4°C	<b>43,00</b>
01-892-1H	Quick Load 5X Conc. (PCR Loading Solution)	5ml	4°C	<b>12,00</b>
01-897-1B	Rnase Exitus Plus	100ml	AMB	<b>76,00</b>
01-916-1E	AQUAGUARD-2 Solution, for disinfecting ordinary water baths, use at 2ml per liter	50ml	-20°C	<b>40,00</b>
01-916-1A	AQUAGUARD-2 Solution, for disinfecting ordinary water baths (DILUTED)	500ml	-20°C	<b>72,00</b>
01-925-1B	Modified Ham's F-10, with gentamycin	100ml	4°C	<b>34,00</b>
01-934-1A	Sodium Citrate Solution (0.8%)	500ml	AMB	<b>52,00</b>
01-939-1U	Quick Stain	3ml, for 200 slides	4°C	<b>36,00</b>
01-944-1B	Gelatin Solution (0.1%)	100ml	AMB	<b>25,00</b>

02-010-1A	Earle's Balanced Salt Solution	500ml	AMB	<b>35,00</b>
02-010-5A	Earle's Balanced Salt Solution, 10X Conc., without Sodium Bicarbonate	500ml	AMB	<b>35,00</b>
02-015-1A	Hanks' Balanced Salt Solution	500ml	AMB	<b>35,00</b>
02-015-1B	Hanks' Balanced Salt Solution	100ml	AMB	<b>10,00</b>
02-015-5A	Earle's Balanced Salt Solution 10X	500ml	AMB	<b>46,00</b>
02-016-1A	Hanks' Balanced Salt Solution, without Phenol Red	500ml	AMB	<b>30,50</b>
02-017-1A	Hanks' Balanced Salt Solution, without Calcium and Magnesium	500ml	AMB	<b>32,50</b>
02-017-1B	Hanks' Balanced Salt Solution, without Calcium and Magnesium	100ml	AMB	<b>8,50</b>
02-018-1A	Hanks' Balanced Salt Solution, without Calcium and Magnesium, without Phenol Red	500ml	AMB	<b>33,00</b>
02-020-1A	Dulbecco's Phosphate Buffered Saline (DPBS)	500ml	4°C	<b>35,00</b>
02-020-1B	Dulbecco's Phosphate Buffered Saline (DPBS)	100ml	4°C	<b>10,60</b>
02-023-1A	Dulbecco's Phosphate Buffered Saline (DPBS), without Calcium and Magnesium	500ml	AMB	<b>16,86</b>
02-023-1B	Dulbecco's Phosphate Buffered Saline (DPBS), without Calcium and Magnesium	100ml	AMB	<b>10,60</b>



02-023-5A	Dulbecco's Phosphate Buffered Saline (DPBS), 10X Conc., without Calcium and Magnesium	500ml	AMB	<b>35,00</b>
02-045-1A	Alsever's Solution	500ml	AMB	<b>35,00</b>
02-045-1B	Alsever's Solution	100ml	AMB	<b>10,60</b>
03-010-1B	Bovine Albumin Solution (10%), Fraction V in saline	100ml	-20°C	<b>126,00</b>
03-015-1B	Ethylenediaminetetraacetic Acid (EDTA) Disodium Salt Solution, 0.05% in DPBS	100ml	AMB	<b>10,60</b>
03-020-1A	L-Glutamine Solution, 29.2mg/ml in Saline (200 millimole/liter)	500ml	-20°C	<b>37,20</b>
03-020-1B	L-Glutamine Solution, 29.2mg/ml in Saline (200 millimole/liter)	100ml	-20°C	<b>13,20</b>
03-020-1C	L-Glutamine Solution, 29.2mg/ml in Saline (200 millimole/liter)	20ml	-20°C	<b>6,40</b>
03-022-1B	L-Alanyl-L-Glutamine (Stable Glutamine), 200 mM per liter	100ml	-20°C	<b>42,00</b>
03-025-1B	Hepes Buffer Solution, pH 7.3 at 37°C, 1.0 Molar	100ml	AMB	<b>35,00</b>
03-025-1C	Hepes Buffer Solution, pH 7.3 at 37°C, 1.0 Molar	20ml	AMB	<b>14,60</b>
03-028-1B	Amphotericin B Solution, 250 microgram/ml	100ml	-20°C	<b>15,40</b>
03-028-1C	Amphotericin B Solution, 250 microgram/ml	20ml	-20°C	<b>6,00</b>

03-029-1B	Amphotericin B Solution, 2500 microgram/ml	100ml	-20°C	<b>48,50</b>
03-029-1C	Amphotericin B Solution, 2500 microgram/ml	20ml	-20°C	<b>16,82</b>
03-030-1C	Nystatin Suspension, 200,000 units/ml	20ml	-20°C	<b>8,00</b>
03-031-1B	Penicillin-Streptomycin Solution, 10,000 units/ml Penicillin G Sodium Salt, 10mg/ml Streptomycin Sulfate	100ml	-20°C	<b>16,68</b>
03-031-1C	Penicillin-Streptomycin Solution, 10,000 units/ml Penicillin G Sodium Salt, 10mg/ml Streptomycin Sulfate	20ml	-20°C	<b>5,95</b>
03-031-5B	Penicillin-Streptomycin Solution Concentrate x10*100,000 units/ml Penicillin G Sodium Salt*100mg/ml Streptomycin Sulfate	100ml	-20°C	<b>38,00</b>
03-031-5C	Penicillin-Streptomycin Solution, 10X Conc., 100,000 units/ml Penicillin G Sodium Salt, 100mg/ml, Streptomycin Sulfate	20ml	-20°C	<b>14,00</b>
03-032-1B	Penicillin-Streptomycin Nystatin Solution, 10,000 units/ml Penicillin G Sodium Salt, 10mg/ml Streptomycin Sulfate, 1,250 units/ml Nystatin	100ml	-20°C	<b>16,00</b>

03-032-1C	Penicillin-Streptomycin Nystatin Solution, 10,000 units/ml Penicillin G Sodium Salt, 10mg/ml Streptomycin Sulfate, 1,250 units/ml Nystatin	20ml	-20°C	<b>7,00</b>
03-033-1B	Penicillin-Streptomycin Amphotericin B Solution, 10,000 units/ml Penicillin G Sodium Salt, 10mg/ml Streptomycin Sulfate, 25 microgram/ml Amphotericin B	100ml	-20°C	<b>16,68</b>
03-033-1C	Penicillin-Streptomycin Amphotericin B Solution, 10,000 units/ml Penicillin G Sodium Salt, 10mg/ml Streptomycin Sulfate, 25 microgram/ml Amphotericin B	20ml	-20°C	<b>6,20</b>
03-034-1B	Penicillin-Streptomycin Neomycin Solution, 10,000 units/ml Penicillin G Sodium Salt, 10mg/ml Streptomycin Sulfate, 10mg/ml Neomycin Sulfate	100ml	-20°C	<b>18,00</b>
03-035-1B	Gentamycin Sulfate Solution, 50 mg/ml	100ml	AMB	<b>38,00</b>
03-035-1C	Gentamycin Sulfate Solution, 50 mg/ml	20ml	AMB	<b>13,20</b>
03-036-1B	BIOMYC-1 Antibiotic Solution 100X Conc.	100ml	-20°C	<b>244,00</b>
03-036-1C	BIOMYC-1 Antibiotic Solution 100X Conc.	20ml	-20°C	<b>64,00</b>
03-036-1D	BIOMYC-1 Antibiotic Solution 100X Conc.	10ml	-20°C	<b>36,00</b>

03-037-1B	BIOMYC-2 Antibiotic Solution 100X Conc.	100ml	-20°C	<b>162,00</b>
03-037-1C	BIOMYC-2 Antibiotic Solution 100X Conc.	20ml	-20°C	<b>42,00</b>
03-037-1D	BIOMYC-2 Antibiotic Solution 100X Conc.	10ml	-20°C	<b>25,00</b>
03-038-1B	BIOMYC-3 Antibiotic Solution 100X Conc.	100ml	-20°C	<b>128,00</b>
03-038-1C	BIOMYC-3 Antibiotic Solution 100X Conc.	20ml	-20°C	<b>32,50</b>
03-038-1D	BIOMYC-3 Antibiotic Solution 100X Conc.	10ml	-20°C	<b>18,00</b>
03-040-1A	Sodium Bicarbonate Solution (7.5%)	500ml	AMB	<b>36,00</b>
03-040-1B	Sodium Bicarbonate Solution (7.5%)	100ml	AMB	<b>11,20</b>
03-042-1B	Sodium Pyruvate Solution, 11.0mg/ml (100 mM)	100ml	-20°C	<b>14,80</b>
03-045-1B	Trypsin Solution A (0.25%), with Calcium and Magnesium, without Phenol Red	100ml	4°C	<b>11,20</b>
03-046-1A	Trypsin Solution B (0.25%), without Calcium and Magnesium, without Phenol Red	500ml	-20°C	<b>34,00</b>
03-046-1B	Trypsin Solution B (0.25%), without Calcium and Magnesium, without Phenol Red	100ml	-20°C	<b>15,00</b>
03-046-5B	Trypsin Solution B (2.5%), 10X Conc., without Calcium and Magnesium, without Phenol Red	100ml	-20°C	<b>28,00</b>

03-047-1A	Crystalline Trypsin Solution (0.02%), without Phenol Red	500ml	-20°C	<b>72,00</b>
03-047-1B	Crystalline Trypsin Solution (0.02%), without Phenol Red	100ml	-20°C	<b>18,00</b>
03-048-1C	Soybean Trypsin Inhibitor 50X Conc., 5mg/ml	20ml	-20°C	<b>62,00</b>
03-049-1B	Kanamycin Sulphate Solution, 10mg/ml	100ml	-20°C	<b>32,00</b>
03-049-1C	Kanamycin Sulphate Solution, 10mg/ml	20ml	-20°C	<b>15,00</b>
03-050-1A	Trypsin EDTA Solution A (0.25%), EDTA (0.02%), with Phenol Red	500ml	-20°C	<b>34,50</b>
03-050-1B	Trypsin EDTA Solution A (0.25%), EDTA (0.02%), with Phenol Red	100ml	-20°C	<b>13,80</b>
03-051-5B	Trypsin EDTA (0.5%), EDTA 0.2% , 10X Conc.	100ml	-20°C	<b>26,00</b>
03-051-5C	Trypsin EDTA (0.5%), EDTA 0.2% , 10X Conc.	20ml	-20°C	<b>8,00</b>
03-052-1A	Trypsin EDTA Solution B (0.25%), EDTA (0.05%), with Phenol Red	500ml	-20°C	<b>34,50</b>
03-052-1B	Trypsin EDTA Solution B (0.25%), EDTA (0.05%), with Phenol Red	100ml	-20°C	<b>13,40</b>
03-053-1A	Trypsin EDTA Solution C (0.05%), EDTA (0.02%), with Phenol Red	500ml	-20°C	<b>36,00</b>

03-053-1B	Trypsin EDTA Solution C (0.05%), EDTA (0.02%), with Phenol Red	100ml	-20°C	<b>14,00</b>
03-054-1A	TRYPsin EDTA,EDTA 0.02%	500ml	-20°C	<b>36,80</b>
03-054-1B	Trypsin EDTA Solution C (0.05%), EDTA (0.02%), without Phenol Red	100ml	-20°C	<b>13,00</b>
03-055-1A	Water, Cell Culture Grade	500ml	AMB	<b>17,20</b>
03-071-1B	Cell Dissociation Solution (non-enzymatic)	100ml	4°C	<b>19,00</b>
03-073-1B	Accutase	100ml	-20°C	<b>182,00</b>
03-077-1C	Non – enzymatic - MSC Dissociation Solution	20ml	4°C	<b>32,00</b>
03-078-1B	Recombinant Trypsin Solution	100ml	-20°C	<b>61,00</b>
03-078-1C	Recombinant Trypsin Solution	20ml	-20°C	<b>16,86</b>
03-079-1B	Recombinant Trypsin EDTA Solution	100ml	-20°C	<b>61,00</b>
03-079-1C	Recombinant Trypsin EDTA Solution	20ml	-20°C	<b>16,86</b>
03-085-1B	HT Supplement, 50X Conc., (Hypoxanthine 680.5mg/l, Thymidine 193.8mg/l), in DPBS	100ml	-20°C	<b>22,00</b>
03-090-1-01	Fibronectin Solution (Bovine), 1mg/ml	1ml	4°C	<b>54,00</b>
03-090-1-05	Fibronectin Solution (Bovine), 1mg/ml	5ml	4°C	<b>242,00</b>
03-100-1B	Phenol Red Solution, 5mg/ml in DPBS	100ml	AMB	<b>12,00</b>
03-102-1B	Trypan Blue Solution, 5mg/ml in Saline	100ml	AMB	<b>16,00</b>
05-010-1A	DCCM-1 without L- Glutamine	500ml	4°C	<b>72,00</b>

05-015-1A	DCCM-2 without L-Glutamine	500ml	4°C	<b>48,00</b>
05-040-1A	Low Protein Media BSA-Free (LPM), without L-Glutamine	500ml	4°C	<b>46,00</b>
05-050-1A	BIOINSECT-1, With L-Glutamine	500ml	4°C	<b>66,00</b>
05-060-1A	BIO-MPM-1, Multi-Purpose SFM, without L-Glutamine	500ml	4°C	<b>76,00</b>
05-065-1A	Serum-Free Cell Freezing Medium	500ml	4°C	<b>206,00</b>
05-065-1C	Serum-Free Cell Freezing Medium	20ml	4°C	<b>24,00</b>
05-066-1A	NutriVero VP1, Animal Component-Free Serum-Free Medium for the Monolayer Culture of Vero Cells (NutriVero VP1, ACF SFM)	500ml	4°C	<b>64,00</b>
05-067-1A	NutriVero VP2, Animal Component-Free Serum-Free Medium for the Microcarrier Suspension Culture of Vero Cells (NutriVero VP2, ACF SFM)	500ml	4°C	<b>65,00</b>
05-080-1A	BIOTARGET-1 without L-Glutamine	500ml	4°C	<b>72,00</b>
05-100-1A	Nutristem hESC XF	500ml	-20°C	<b>296,86</b>
05-100-1B	Nutristem hESC XF	100ml	-20°C	<b>78,48</b>
05-102-1A	AF Nutristem hESC XF	500ml	-20°C	<b>238,22</b>
05-102-1B	AF Nutristem hESC XF	100ml	-20°C	<b>64,00</b>
05-200-1A	Nutristem MSC XF Basal Medium	500ml	4°C	<b>104,00</b>
05-201-1U	Nutristem MSC XF Supplement Mix	1x3ml	-20°C	<b>312,00</b>
05-200-1B	Nutristem MSC XF Basal Medium	100ml	4°C	<b>28,00</b>

05-201-106	Nutristem MSC XF Supplement Mix	1x0.6ml	-20°C	<b>84,00</b>
05-202-1A	Nutristem MSC XF Basal Medium without Phenol Red	500ml	4°C	<b>130,00</b>
05-220-1B	MSC Go Chondrogenic SF	100ml	4°C	<b>112,00</b>
05-221-1D	MSC Go Chondrogenic sup	10ml	-20°C	<b>224,00</b>
05-330-1B	MSC Go Adipogenic- SF,X	100ml	4°C	<b>196,00</b>
05-331-1-01	MSC Go Adipogenic- SF,X	0.1ml	-20°C	<b>168,00</b>
05-332-1-15	MSC Go Adipogenic- SF,X	1.5ml	-20°C	<b>84,00</b>
05-440-1B	MSC Go Osteogenic- SF,X	100ml	4°C	<b>498,00</b>
05-442-1B	MSC Go Rapid Osteogenic	100ml	4°C	<b>560,00</b>
05-620-1H	BIOGRO-CHO Serum-Free Media Supplement 100X Conc.	5ml	-20°C	<b>28,00</b>
05-061-1A	BIOCHO-1 SFM Base without L-Glutamine	500ml	4°C	<b>39,20</b>
05-710-1D	Cryostem ACF Freezing Media (optimized for Stem Cells)	10ml	4°C	<b>44,20</b>
05-710-1E	Cryostem ACF Freezing Media (optimized for Stem Cells)	50ml	4°C	<b>116,00</b>
05-712-1D	MSC Freezing Solution	10ml	4°C	<b>42,10</b>
05-712-1E	MSC Freezing Solution	50ml	4°C	<b>99,80</b>
05-720-1B	Bio-Pure Human Serum Albumin (HSA) , 10% solution	100ml	4°C	<b>294,00</b>
05-720-1D	Bio-Pure Human Serum Albumin (HSA) , 10% solution	10ml	4°C	<b>44,00</b>
05-750-1F	Human Fibronectin	1ml	4°C	<b>196,00</b>
05-750-1H	Human Fibronectin	5ml	4°C	<b>780,00</b>
05-752-1F	MSC Attachment Solution	1ml	4°C	<b>196,00</b>
05-752-1H	MSC Attachment Solution	5ml	4°C	<b>780,00</b>
05-752-1S	MSC Attachment Solution	0.1ml	4°C	<b>32,00</b>
05-753-1F	LaminStem	1ml	-20°C	<b>260,00</b>



11-025-1N	Minimum Essential Medium-Eagle (MEM-E) Powder, Earle's Salts Base, with L-Glutamine, without Sodium Bicarbonate	1x50 lt	4°C	<b>114,00</b>
11-025-1M	Minimum Essential Medium-Eagle (MEM-E) Powder, Earle's Salts Base, with L-Glutamine, without Sodium Bicarbonate	1x10 lt	4°C	<b>37,60</b>
11-025-1G	Minimum Essential Medium-Eagle (MEM-E) Powder, Earle's Salts Base, with L-Glutamine, without Sodium Bicarbonate	1x5 lt	4°C	<b>22,00</b>
11-025-1K	Minimum Essential Medium-Eagle (MEM-E) Powder, Earle's Salts Base, with L-Glutamine, without Sodium Bicarbonate	1x1 lt	4°C	<b>10,60</b>
11-040-1N	Minimum Essential Medium-Eagle (MEM-E) Powder, Earle's Salts Base, with Non-Essential Amino Acids, with L-Glutamine, without Sodium Bicarbonate	1x50 lt	4°C	<b>114,00</b>
11-040-1M	Minimum Essential Medium-Eagle (MEM-E) Powder, Earle's Salts Base, with Non-Essential Amino Acids, with L-Glutamine, without Sodium Bicarbonate	1x10 lt	4°C	<b>37,60</b>

11-040-1G	Minimum Essential Medium-Eagle (MEM-E) Powder, Earle's Salts Base, with Non-Essential Amino Acids, with L-Glutamine, without Sodium Bicarbonate	1x5 lt	4°C	<b>22,00</b>
11-040-1K	Minimum Essential Medium-Eagle (MEM-E) Powder, Earle's Salts Base, with Non-Essential Amino Acids, with L-Glutamine, without Sodium Bicarbonate	1x1 lt	4°C	<b>10,60</b>
11-042-1N	Minimum Essential Medium-Alpha (MEM-A) Powder, with 1g/l D-Glucose (Low Glucose), without Ribonucleosides and Deoxyribonucleosides, with L-Glutamine, without Sodium Bicarbonate	1x50 lt	4°C	<b>189,00</b>
11-042-1M	Minimum Essential Medium-Alpha (MEM-A) Powder, with 1g/l D-Glucose (Low Glucose), without Ribonucleosides and Deoxyribonucleosides, with L-Glutamine, without Sodium Bicarbonate	1x10 lt	4°C	<b>69,00</b>

11-042-1G	Minimum Essential Medium-Alpha (MEM-A) Powder, with 1g/l D-Glucose (Low Glucose), without Ribonucleosides and Deoxyribonucleosides, with L-Glutamine, without Sodium Bicarbonate	1x5 lt	4°C	<b>46,00</b>
11-042-1K	Minimum Essential Medium-Alpha (MEM-A) Powder, with 1g/l D-Glucose (Low Glucose), without Ribonucleosides and Deoxyribonucleosides, with L-Glutamine, without Sodium Bicarbonate	1x1 lt	4°C	<b>19,60</b>
11-044-1N	Minimum Essential Medium-Alpha (MEM-A) Powder, with 1g/l D-Glucose (Low Glucose), with Ribonucleosides and Deoxyribonucleosides, with L-Glutamine, without Sodium Bicarbonate	1x50 lt	4°C	<b>392,00</b>
11-044-1M	Minimum Essential Medium-Alpha (MEM-A) Powder, with 1g/l D-Glucose (Low Glucose), with Ribonucleosides and Deoxyribonucleosides, with L-Glutamine, without Sodium Bicarbonate	1x10 lt	4°C	<b>139,00</b>

11-044-1G	Minimum Essential Medium-Alpha (MEM-A) Powder, with 1g/l D-Glucose (Low Glucose), with Ribonucleosides and Deoxyribonucleosides, with L-Glutamine, without Sodium Bicarbonate	1x5 lt	4°C	<b>69,00</b>
11-044-1K	Minimum Essential Medium-Alpha (MEM-A) Powder, with 1g/l D-Glucose (Low Glucose), with Ribonucleosides and Deoxyribonucleosides, with L-Glutamine, without Sodium Bicarbonate	1x1 lt	4°C	<b>36,00</b>
11-050-1N	Dulbecco's Modified Eagle Medium (DMEM) Powder, with 1g/l D-Glucose (Low Glucose), with Sodium Pyruvate 110mg/l, with L-Glutamine, without Sodium Bicarbonate	1x50lt	4°C	<b>114,00</b>
11-050-1M	Dulbecco's Modified Eagle Medium (DMEM) Powder, with 1g/l D-Glucose (Low Glucose), with Sodium Pyruvate 110mg/l, with L-Glutamine, without Sodium Bicarbonate	1x10lt	4°C	<b>38,00</b>

11-050-1G	Dulbecco's Modified Eagle Medium (DMEM) Powder, with 1g/l D-Glucose (Low Glucose), with Sodium Pyruvate 110mg/l, with L-Glutamine, without Sodium Bicarbonate	1x5 lt	4°C	<b>22,00</b>
11-050-1K	Dulbecco's Modified Eagle Medium (DMEM) Powder, with 1g/l D-Glucose (Low Glucose), with Sodium Pyruvate 110mg/l, with L-Glutamine, without Sodium Bicarbonate	1x1 lt	4°C	<b>10,60</b>
11-055-1N	Dulbecco's Modified Eagle Medium (DMEM) Powder, with 4.5g/l D-Glucose (High Glucose), without Sodium Pyruvate, with L-Glutamine, without Sodium Bicarbonate	1x50 lt	4°C	<b>114,00</b>
11-055-1M	Dulbecco's Modified Eagle Medium (DMEM) Powder, with 4.5g/l D-Glucose (High Glucose), without Sodium Pyruvate, with L-Glutamine, without Sodium Bicarbonate	1x10 lt	4°C	<b>37,60</b>
11-055-1G	Dulbecco's Modified Eagle Medium (DMEM) Powder, with 4.5g/l D-Glucose (High Glucose), without Sodium Pyruvate, with L-Glutamine, without Sodium Bicarbonate	1x5 lt	4°C	<b>22,00</b>

11-055-1K	Dulbecco's Modified Eagle Medium (DMEM) Powder, with 4.5g/l D-Glucose (High Glucose), without Sodium Pyruvate, with L-Glutamine, without Sodium Bicarbonate	1x1 lt	4°C	<b>10,60</b>
11-058-1N	Iscove's Modified Dulbecco Medium (IMDM) Powder, with HEPES, with L-Glutamine, without Sodium Bicarbonate	1x50 lt	4°C	<b>136,00</b>
11-058-1M	Iscove's Modified Dulbecco Medium (IMDM) Powder, with HEPES, with L-Glutamine, without Sodium Bicarbonate	1x10 lt	4°C	<b>46,00</b>
11-058-1G	Iscove's Modified Dulbecco Medium (IMDM) Powder, with HEPES, with L-Glutamine, without Sodium Bicarbonate	1x5 lt	4°C	<b>26,00</b>
11-080-1N	Medium M-199 (M199E) Powder, Earle's Salts Base, with L-Glutamine, without Sodium Bicarbonate	1x50 lt	4°C	<b>136,00</b>
11-080-1M	Medium M-199 (M199E) Powder, Earle's Salts Base, with L-Glutamine, without Sodium Bicarbonate	1x10 lt	4°C	<b>46,00</b>

11-080-1K	Medium M-199 (M199E) Powder, Earle's Salts Base, with L-Glutamine, without Sodium Bicarbonate	1x1 lt	4°C	<b>12,00</b>
11-090-1N	Nutrient Mixture F-10 (Ham's) Powder, with L-Glutamine, without Sodium Bicarbonate	1x50 lt	4°C	<b>114,00</b>
11-090-1M	Nutrient Mixture F-10 (Ham's) Powder, with L-Glutamine, without Sodium Bicarbonate	1x10 lt	4°C	<b>22,00</b>
11-090-1K	Nutrient Mixture F-10 (Ham's) Powder, with L-Glutamine, without Sodium Bicarbonate	1x1 lt	4°C	<b>10,60</b>
11-095-1N	Nutrient Mixture F-12 (Ham's) Powder, with L-Glutamine, without Sodium Bicarbonate	1x50 lt	4°C	<b>114,00</b>
11-095-1M	Nutrient Mixture F-12 (Ham's) Powder, with L-Glutamine, without Sodium Bicarbonate	1x10 lt	4°C	<b>38,00</b>
11-095-1G	Nutrient Mixture F-12 (Ham's) Powder, with L-Glutamine, without Sodium Bicarbonate	1x5 lt	4°C	<b>22,00</b>
11-095-1K	Nutrient Mixture F-12 (Ham's) Powder, with L-Glutamine, without Sodium Bicarbonate	1x1 lt	4°C	<b>10,60</b>
11-100-1N	RPMI Medium 1640, Powder, with L-Glutamine, without Sodium Bicarbonate	1x50 lt	4°C	<b>114,00</b>

11-100-1M	RPMI Medium 1640, Powder, with L-Glutamine, without Sodium Bicarbonate	1x10 lt	4°C	<b>38,00</b>
11-100-1G	RPMI Medium 1640, Powder, with L-Glutamine, without Sodium Bicarbonate	1x5 lt	4°C	<b>22,00</b>
11-100-1K	RPMI Medium 1640, Powder, with L-Glutamine, without Sodium Bicarbonate	1x1 lt	4°C	<b>10,60</b>
11-106-1N	RPMI Medium 1640, Powder, with L-Glutamine, with 25mM Hepes buffer w/o sodium bicarbonate	1x50 lt	4°C	<b>196,00</b>
11-106-1G	RPMI Medium 1640, Powder, with L-Glutamine, with 25mM Hepes buffer w/o sodium bicarbonate	1x5 lt	4°C	<b>48,00</b>
11-106-1K	RPMI Medium 1640, Powder, with L-Glutamine, with 25mM Hepes buffer w/o sodium bicarbonate	1x1 lt	4°C	<b>18,00</b>
11-170-1N	Dulbecco's Modified Eagle Medium (DMEM): Nutrient Mixture F-12 (Ham's) (1:1), Powder, with Hepes 15mM, with L-Glutamine, without Sodium Bicarbonate	1x50 lt	4°C	<b>196,00</b>



11-170-1M	Dulbecco's Modified Eagle Medium (DMEM): Nutrient Mixture F-12 (Ham's) (1:1), Powder, with Hepes 15mM, with L-Glutamine, without Sodium Bicarbonate	1x10 lt	4°C	<b>76,00</b>
11-170-1G	Dulbecco's Modified Eagle Medium (DMEM): Nutrient Mixture F-12 (Ham's) (1:1), Powder, with Hepes 15mM, with L-Glutamine, without Sodium Bicarbonate	1x5 lt	4°C	<b>48,00</b>
11-170-1K	Dulbecco's Modified Eagle Medium (DMEM): Nutrient Mixture F-12 (Ham's) (1:1), Powder, with Hepes 15mM, with L-Glutamine, without Sodium Bicarbonate	1x1 lt	4°C	<b>18,00</b>
11-223-1N	Dulbecco's Phosphate Buffered Saline (DPBS), Powder, without Calcium Chloride, without Magnesium Chloride, with L-Glutamine, without Sodium Bicarbonate	1x50 lt	4°C	<b>108,00</b>
11-223-1M	Dulbecco's Phosphate Buffered Saline (DPBS), Powder, without Calcium Chloride, without Magnesium Chloride, with L-Glutamine, without Sodium Bicarbonate	1x10 lt	4°C	<b>36,00</b>

11-223-1G	Dulbecco's Phosphate Buffered Saline (DPBS), Powder, without Calcium Chloride, without Magnesium Chloride, with L-Glutamine, without Sodium Bicarbonate	1x5 lt	4°C	<b>20,00</b>
11-223-1K	Dulbecco's Phosphate Buffered Saline (DPBS), Powder, without Calcium Chloride, without Magnesium Chloride, with L-Glutamine, without Sodium Bicarbonate	1x1 lt	4°C	<b>10,00</b>
12-003-1C	Colchicine Solution, 10µg/ml in DPBS	25ml	4°C	<b>9,00</b>
12-004-1D	Colcemid Solution, 10µg/ml in DPBS	10ml	4°C	<b>19,60</b>
12-005-1B	Potassium Chloride, 0.075 Molar	100ml	4°C	<b>13,50</b>
12-008-60	Cell Synchronization Kit		-20°C	<b>146,00</b>
12-009-1H	Phytohemagglutinin-M (PHA-M), ready-to-use	5ml	-20°C	<b>28,00</b>
20-300-1000	Cell Proliferation Kit (XTT based)	1000 assays	-20°C	246,00
20-400-100	EZ-RNA Total RNA Isolation Kit	100ml	4°C	194,00
20-410-100	EZ-RNA II Total RNA Isolation Kit without Chloroform, with BCP	100ml	4°C	188,00
20-500-1000	EZ-ECL Kit	1000ml	4°C	386,00
20-500-120	EZ-ECL Kit	120ml	4°C	89,60
20-500-500	EZ-ECL Kit	500ml	4°C	282,00
20-600-50	EZ DNA KIT		AMB	176,00
20-700-20	EZ-PCR Mycoplasma Test Kit	20 assays	-20°C	330,00
41-122-100	Hepes	100 gr	AMB	<b>150,00</b>

41-201-100	L-Arginine Hydrochloride	100 gr	AMB	<b>82,00</b>
41-218-100	L-Glutamine	100 gr	AMB	<b>66,00</b>
41-218-25	L-Glutamine	25 gr	AMB	<b>30,00</b>
41-302-500	Glucose Anhydrous	500 gr	AMB	<b>76,00</b>
41-501-10	Penicillin G Sodium	10gr	4°C	<b>30,00</b>
41-501-100	Penicillin G Sodium	100 gr	4°C	<b>182,00</b>
41-501-25	Penicillin G Sodium	25 gr	4°C	<b>60,00</b>
41-502-100	Streptomycin Sulfate	100 gr	4°C	<b>152,00</b>
41-502-25	Streptomycin Sulfate	25 gr	4°C	<b>56,00</b>
41-503-1	Gentamycin Sulfate	1 gr	AMB	<b>16,00</b>
41-503-5	Gentamycin Sulfate	5 gr	AMB	<b>46,00</b>
41-505-1	Neomycin Sulfate	1 gr	4°C	<b>16,00</b>
41-505-5	Neomycin Sulfate	5 gr	4°C	<b>38,00</b>
41-506-1	Nystatin	1 gr	4°C	<b>38,00</b>
41-506-5	Nystatin	5 gr	4°C	<b>122,00</b>
41-507-1	Kanamycin Sulfate	1 gr	4°C	<b>38,00</b>
41-507-5	Kanamycin Sulfate	5 gr	4°C	<b>96,00</b>
41-805-10	EZ-Block		AMB	<b>46,00</b>
41-920-100	Trypsin, Porcine Pancreas (1:250)	100 gr	4°C	<b>226,00</b>
41-920-25	Trypsin, Porcine Pancreas (1:250)	25 gr	4°C	<b>76,00</b>
41-922-100	EDTA Disodium Dihydrate	100 gr	AMB	<b>46,00</b>
41-922-25	EDTA Disodium Dihydrate	25 gr	AMB	<b>16,00</b>
41-951-100	Transferrin, Human, Substantially Iron-Free	100 mg	4°C	<b>122,00</b>
41-951-1000	Transferrin, Human, Substantially Iron-Free	1gm	4°C	<b>910,00</b>
41-951-500	Transferrin, Human, Substantially Iron-Free	500 mg	4°C	<b>462,00</b>
41-952-100	Transferrin, Human, Iron- Saturated	100 mg	4°C	<b>122,00</b>
41-952-1000	Transferrin, Human, Iron- Saturated	1gm	4°C	<b>910,00</b>
41-952-500	Transferrin, Human, Iron- Saturated	500 mg	4°C	<b>442,00</b>

41-975-100	Insulin, Human Recombinant	100 mg	-20°C	<b>118,00</b>
IC-110100	Pharmacidal, spray can for disinfecting surfaces	1 liter	AMB	<b>120,00</b>
IC-110100-B	Pharmacidal, spray can for disinfecting surfaces	100ml	AMB	<b>50,00</b>
IC-110100-G	Pharmacidal, for disinfecting surfaces (without spray can)	5 liter	AMB	<b>464,00</b>
IC-110100-L	Pharmacidal, spray can for disinfecting surfaces	250ml	AMB	<b>64,00</b>
E-TCCS-P22	Coverslips (round) 22mm	5	4°C	48,00
E-TCF-25	Tissue Culture Flasks 25cm	5	4°C	52,00
E-TCF-80	Tissue Culture Flasks 80cm	5	4°C	76,00
E-TC-IF-13	Four 13mm Coverslips in 4-Well Plate	1	4°C	92,00
E-TCMT-F	Microtiter 96-Well Plate (flat)	1	4°C	102,00
E-TCMW-6	6-Well Plate	1	4°C	108,00
01-899-U01	FOR THE PREPARATION OF T AND B-CELL FRACTIONS: UNI-SORB NYLON WOOL COLUMN	10 tubes per box		<b>31,00</b>
01-899-U02	EZ-LYMPHO-SEP (FILLED, 2 ml)	30 tubes per box		<b>10,00</b>
01-899-U03	EZ-LYMPHO-SEP TUBE (STERILE, UNFILLED)	30 tubes per box		<b>5,00</b>
01-899-U04	EZ-LYMPHO-SEP (FILLED, 3 ml)	30 tubes per box		<b>12,00</b>
01-899-U05	EZ-LYMPHO-SEP (STERILE, UNFILLED)	30 tubes per box		<b>6,00</b>
01-899-U10	EZ-LYMPHO-SEP (FILLED, 10 ml)	18 tubes per box		<b>14,50</b>
01-899-U11	EZ-LYMPHO-SEP TUBE (STERILE, UNFILLED)	18 tubes per box		<b>9,82</b>
01-899-U17	EZ-LYMPHO-SEP TUBE (STERILE, UNFILLED)	18 tubes per box		<b>10,40</b>

01-899-U16	EZ-LYMPHO-SEP (FILLED, 15 ml)	18 tubes per box	<b>16,00</b>
01-899-U15	BUFFY BOOSTER KIT	3 bottlesx20ml per box	<b>34,00</b>





































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































